

Product Catalouge

In**dex**

1. Off Grid Solar Solutions	01
Off Grid Solar PCUs	02
Solar Batteries	05
Solar Panels	80
2. Home Power Solutions	09
Home UPS/Inverters	10
Inverter Batteries	15
3. E-Rickshaw Batteries	20

Off Grid Solar Solutions

Uninter

Solar PCU

Solar PCU with PWM technology ranging from 850VA to 2000VA having 36 months* warranty on the product and 10 years warranty on transformer*





Charger Topology



Working Mode (Intelligent, Hybrid & Solar)



PV Reverse Protection



Auto Selection of Grid

Reconnect Battery Voltage



Isolated Gate Drive

for Solar Charger



Double PV Voc Protection

S. No.	MODEL NO.	CAPACITY @BULB LOAD	WARRANTY*	TRANSFORMER WARRANTY*
1.	850VA-12V	850W		
2.	1000VA-12V	1000W	36 Months	10 Years
3.	1400VA-12V	1400W		
4.	2000VA-12V	2000W		

Solar PCU

Solar PCU with MPPT technology ranging from 500VA to 10KVA having 36 months* warranty on the product and 10 years warranty on transformer*



Low Loss MPPT

Charger Topology



Working Mode

(Intelligent, Hybrid & Solar)



PV Reverse

Protection





Auto Selection of Grid

Reconnect Battery Voltage

SOLAR PROMAX 500VA-12V

Φ

ADD 0



Isolated Gate Drive

for Solar Charger



Double PV Voc Protection

S. No.	MODEL NO.	CAPACITY @BULB LOAD	WARRANTY*	TRANSFORMER WARRANTY*
1.	500VA-12V	500W		
2.	1000VA-12V	1000W	36 Months	10 Years
3.	1500VA-24V	1500W		
4.	2000VA-24V	2000W		

Solar PCU

Solar PCU with MPPT technology ranging from 500VA to 10KVA having 36 months* warranty on the product and 10 years warranty on transformer*

Egg















Low Loss MPPT Charger Topology

Working Mode (Intelligent, Hybrid & Solar)

PV Reverse Protection

Auto Selection of Grid Reconnect Battery Voltage Isolated Gate Drive for Solar Charger Double PV Voc Protection

S. No.	MODEL NO.	CAPACITY @BULB LOAD	WARRANTY*	TRANSFORMER WARRANTY*
5.	2500VA-24V	2500W		
6.	3000VA-48V	3000W	36 Months	10 Years
7.	5000VA-48V	5000W		
8.	5500VA-96V	5500W	-	
9.	10000VA-120V	10000W		

Solar Battery **Gel Series**

Solar batteries with capacity ranging from 150Ah to 200Ah and with 10 years* warranty.



Completely













maintenance free

Zero fumes, no health hazards

Full rated backup till 85% of life

Low cost of ownership

Safe operation

Hassle free transportation

S. No.	MODEL NO.	CAPACITY (Ah) @C20	WARRANTY*
1.	EA150TTG	150 Ah	60+60 Months
2.	EA200TTG	200 Ah	60+60 Months

Solar Battery Regular Series

Solar batteries with capacity ranging from 120Ah to 260Ah and with warranty ranging from 6 years to 10 years.













Making Your DREAMS Come True 24/7



Lowest electricity consumption in recharging

Easy recovery after idle period

Less fumes generation

Low water loss Low cost of ownership

5% extra capacity & backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (Ah) @C20	WARRANTY*
1.	EA1272SB	120 Ah	36+36 Months
2.	EA1572JSB	150 Ah	36+36 Months
3.	EA150SB	150Ah@C10	60+60 Months
4.	EA1572SB	150Ah@C10	36+36 Months

Solar Battery Regular Series

Solar batteries with capacity ranging from 120Ah to 260Ah and with warranty ranging from 6 years to 10 years.





Easy recovery

after idle period

V-

Less fumes

generation

Low water loss Low cost of ownership

5% extra capacity & backup WRT rated capacity

A SHERN

Making Your DREAMS Come True 24/7

S. No.	MODEL NO.	CAPACITY (Ah) @C20	WARRANTY*
5.	EA200SB	200Ah@C10	60+60 Months
6.	EA2072SB	200Ah@C10	36+36 Months
7.	EA260SB	260 Ah	60+60 Months

Solar Panel

A wide selection of DCR and Non-DCR Solar Panels, ranging from 125 Watt to 550 Watt and with 25 Years of Warranty*, giving you the flexibility to meet both technical and regulatory needs





Superior module efficiency as per international benchmarks Glass with anti reflective coating improves light transmission

Excellent Anti PID (Potential Inducec Degradation) performance Sustain heavy wind & snow loads (2400 pa & 5400 pa)

S. NO.	SOLAR PANEL TYPE	MODELS	VOLT	WARRANTY
1.	Mono Perc	APP125W	12V	25 Years
2.	Mono Perc	AMP210W	12V	25 Years
3.	Poly	APP335W	24V	25 Years
4.	Mono Perc	ATP550W-NON DCR	24V	25 Years
5.	Mono Perc	ATP545W-DCR	24V	25 Years
6.	Mono Perc Bi-facial	ABP550W-NON DCR	24V	25 Years
7.	Mono Perc Bi-facial	ABP545W-DCR	24V	25 Years

Home Power Solutions



Home UPS SINO (Lower KVA)

Unity Power Factor enabled Home UPS with sine wave technology ranging from 900VA to 2200VA having 36 months* warranty on the product and 10 years warranty on transformer*

ADDO



Unity Power Factor

VA= WATT (*Bulb Load)



Peak Load Peak

Output (PLPO)



Start & Run Compressor

Load/Motor Load as Per Rating



88.8



Start & Run SMPS Load(Led

Lights) as Per Rating



SINO 1800VA-24



Zero Volt Pick up

Full Load Output voltage Highest Among its Peers @ Nominal Battery Voltage

TRANSFORMER S.NO. WARRANTY* MODEL NO. WARRANTY* 1. **SINO 900VA-12V** SINO 1050VA-12V 2. 36 Months 3. SINO 1200VA-12V 10 Years SINO 1800VA-12V 4. SINO 2200VA-12V 5.



Home UPS SINO (Higher KVA)

Home UPS with sine wave technology ranging from 2500VA to 5500VA having 36 months* warranty on the product and 10 years warranty on transfor<u>mer*</u>



PS ON 0/P=2244 attery = 48.54 SINO 5500VA-48V



Unity Power Factor VA= WATT (*Bulb Load)

14 t



Start & Run Compressor Load/Motor Load as Per Rating Start & Run SMPS Load(Led Lights) as Per Rating Full Load Output voltage Highest Among its Peers @ Nominal Battery Voltage

ge Multistage Software & @ Hardware Protection



Static Changeovei

S. NO.	MODEL NO.	WARRANTY*	TRANSFORMER WARRANTY*
1.	SINO 2500VA-12V		
2.	SINO 4000VA-12V	36 Months	10 Years
3.	SINO 5500VA-12V		



Home UPS **ELECTRO**

Home UPS with square wave technology ranging from 700VA to 2000VA having 36 months* warranty on the product and 10 years warranty on transformer*

















Unity Power Factor VA= WATT (*Bulb Load)

Peak Load Peak Output (PLPO) Start & Run Compressor

Load/Motor Load as Per Rating

Start & Run SMPS Load(Led Lights) as Per Rating

Full Load Output voltage Highest Among its Peers (Nominal Battery Voltage

Zero Volt Pick up

S. NO.	MODEL NO.	WARRANTY*	TRANSFORMER WARRANTY*
1.	ELECTRO 700VA-12V		
2.	ELECTRO 900VA-12V		
3.	ELECTRO 1100VA-12V	36 Months	10 Years
4.	ELECTRO 1400VA-12V		
5.	ELECTRO 1800VA-12V		
6.	ELECTRO 2000VA-12V		

Home UPS

Home UPS with sine wave technology ranging from 700VA to 2000VA having 36 months* warranty on the product and 10 years warranty on transformer*



Superior starting current handling



Φ



Temperature guard inside

ADDO



Lightning protector inside

S. NO.	MODEL NO.	WARRANTY*	TRANSFORMER WARRANTY*
1.	SIGMA 700VA-12V		
2.	SIGMA 850VA-12V		
3.	SIGMA 1000VA-12V	36 Months	10 Years
4.	SIGMA 1200VA-12V		
5.	SIGMA 1500VA-12V		
6.	SIGMA 2000VA-12V		

Home UPS • MEGA

Home UPS with square wave technology ranging from 700VA to 2000VA having 36 months* warranty on the product and 10 years warranty on transformer*

ADDO









ს



MEGA 700VA-12V





S. NO.	MODEL NO.	WARRANTY*	TRANSFORMER WARRANTY*
1.	OMEGA 700VA-12V		
2.	OMEGA 850VA-12V		
3.	OMEGA 1000VA-12V	36 Months	10 Years
4.	OMEGA 1200VA-12V		
5.	OMEGA 1500VA-12V		
6.	OMEGA 2000VA-12V		

Premium Series

Inverter batteries with Capacity ranging from 160Ah to 330Ah and with warranty ranging from 6.5 years to 20 years.



Lowest electricity consumption in recharging



Easy recovery after idle period



Less fumes generation



loss

The second

¢ 2-

Low cost of ownership

ACREM BROUNDLIFER

160Ah

ADDO

DIAMOND

EA1642XP



backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (AH) @C20	WARRANTY*	
1.	EA2036XP	200	78 Months (39+39)	
2.	EA1812XP	180	120 Months (60+60)	
3.	EA1642XP	160	84 Months(42+42)	
4.	EA2560XP	250	120 Months(60+60)	
5.	EA300P	300	120 Months(60+60)	

Premium Series

Inverter batteries with Capacity ranging from 160Ah to 330Ah and with warranty ranging from 6.5 years to 20 years.







Easy recovery after idle period



Less fumes generation



¢ z-

Low water Low cost of loss ownership



ACREM BACKETING

160Ah

ADDO

DIAMOND

EA1642XP

Ê

5% extra capacity & backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (AH) @C20		
6.	EA250IL	250	240 Months(120+120)	
7.	EA235DURO	235	180 Months(90+90)	
8.	EA2748XP	270	96 Months(48+48)	
9.	EA330P	330 120 Months(60+6		

www.eaplworld.com

Regular Series

Inverter batteries with capacity ranging from 150Ah to 250Ah and with warranty ranging from 3.5 years to 5 years.



Lowest electricity

consumption in

recharging







nes Low water



loss

E TUR



ce of the W

200Ah

ISE India



Low cost of

ownership



5% extra capacity & backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (AH) @C20	WARRANTY*	
1.	EA2536XP	250	72 Months (36+36)	
2.	EA2336XP	230	72 Months (36+36)	
3.	EA1636XP	160	62 Months(36+26)	
4.	AD1521XP	150	42 Months(21+21)	
5.	AD2224XP	220	48 Months(24+24)	

Smart Series

Affordable Inverter batteries range with capacity ranging from 100Ah to 200Ah and warranty ranging from 4 years to 5 years.



Lowest electricity consumption in recharging

Easy recovery

after idle period



Less fumes

generation

Low water



loss

AG2048TT



SMART SERIES

2 (%) (6

200Ah

BULAR BATTERY FOR INVERTER & HOME UPS



Low cost of ownership

5% extra capacity & backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (AH) @C20	WARRANTY*	
1.	AG1024TT	100	48 Months (24+24)	
2.	AG1554TT	51554TT 150 54 Montl		
3.	AG1548TT	150	60 Months(36+24)	
4.	AG2054TT	200	60 Months(36+24)	

Inverter Battery **Short Tubular**

Inverter batteries with capacity ranging from 135Ah to 250Ah and with warranty ranging from 3.5 years to 6 years.



Lowest electricity

consumption in

recharging



after idle period









TUBULAR





1" Choice of the WISE Indian

EA180JST

5% extra capacity & backup WRT rated capacity

S. No.	MODEL NO.	CAPACITY (AH) @C20	WARRANTY*	
1.	EA150JST	150	48 Months(24+24)	
2.	EA1548JST	135	135 48 Months(24+24)	
3.	EA1854JST	165	54 Months(30+24)	
4.	EA2048JST	180	48 Months(24+24)	
5.	EA1536JST	135	36 Months(18+18)	
6.	EA1548JST	135	48 Months(24+24)	

E-Rickshaw Batteries

www.eaplworld.com

E-Rickshaw Batteries

E-rickshaw batteries with capacity ranging from 125Ah to 140Ah and with warranty Upto 15 months.





Full Day Running Without Intermediate Charging



Lowest Electricity Consumption In

Recharging

For All Rated

Products

D14012ER

Ensured Mileage Low water

loss

Water Level Indicator

MODEL NO.	CAPACITY (AH)	WARRANTY*	Battery Dimension (in mm) L X W X H	Net Battery Weight (In Kg)
AD14012ER	140	12 Months	411 x 172 x 275	36.75
AD15012ER	140	12 Months	411 x 172 x 275	36.75
AD13075ER	125	225 Days	411 x 172 x 235	30.6
AD15015ER	140	15 Months	411 x 172 x 275	37.8

